

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20020033843").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 07:27
S2	6	((("6189011") or ("6226650") or ("6178425"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 08:28
S3	2	("5857201").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:43
S5	5	enterprise with bind\$3 with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:44
S6	2690	bind\$3 with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:44
S7	1	bind\$3 with database and 717/104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 10:44
S8	0	bind\$3 with database and 717/104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 11:25
S9	329	bundl\$3 near software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 11:25
S10	56	"717".clas. and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 11:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	576	("0000703").PN. or ((717/104,174) or (707/103)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:15


[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 12,300 for **backend mobile data model**. (0.46 seconds)**Mobile Networking: All Data is Not Created Equal by Intermec ...**

... **Data** should be made available to **backend** systems as ... more urgent the need for the **data**, the higher ... Priority-based **mobile** systems normally require more than one ...
itsolutions.forbes.com/forbes/search/viewabstract/62018/index.jsp - 49k - [Cached](#) - [Similar pages](#)

SAP Mobile Engine (SAP Library - SAP Mobile Engine)

... of **data** between the **mobile** device and the **backend**. ... To ensure confidential and sensitive **data** is protected as securely on the **mobile** devices as on the ...
help.sap.com/saphelp_me21sp2/helpdata/en/a8/64b54cf975904da6f0ef47298cf433/content.htm - 17k - [Cached](#) - [Similar pages](#)

Mobile Data services 2004 conference

... Dr. Wilhelm Bielert talked about new **models** like try before you buy and what **backend** systems need to be in place to ... The **data** services **mobile** market is ...
ashvil.net/blog/archive/2004/07/15/338.aspx - 26k - [Cached](#) - [Similar pages](#)

Mobile Computing Application Servers

... role in pervasive computing **model** of **mobile** ... universal device access and **backend** application integration. ... **Mobile Data** Synchronization-Based Application Servers. ...
www.mobileinfo.com/application_servers.htm - 31k - [Cached](#) - [Similar pages](#)

Standardized communications to mobile devices: The first step in ...

... both the wireless device and the **backend** server together ... RPC calls in and out, allowing **mobile** devices to ... **model** allows advanced two-way communication of **data**. ...
www.serverworldmagazine.com/sunserver/2001/01/hype.shtml - 29k - [Cached](#) - [Similar pages](#)

Overcoming Challenges in Mobile J2ME Development

... operations require careful design of the **data model**. ... keep the cache synchronized with **backend data** sources ... Commercial **mobile** databases often come with advanced ...
www.phptr.com/articles/article.asp?p=170448&seqNum=2 - 22k - [Cached](#) - [Similar pages](#)

GeoSpatial World 2005 - Site Tours

... G/Electric), outage management and **mobile data** dispatch (InService ... Spatial database as a **backend** along with IBM DB2 ... and diagram of the Oracle Spatial **data model**; ...
www.geospatialworld.com/site_tours/ - 31k - [Cached](#) - [Similar pages](#)

[PDF] Cleveland State University presentation

File Format: PDF/Adobe Acrobat
 ... Infrastructure Wireless Application Gateway **Backend** Services Cleveland State University
 Technical Elements of the **Mobile Trust Model** Academia Need **Data** To ...
www.itacontario.com/policy/wireless/03Nov14-ClevelandSU.pdf - [Similar pages](#)

Visualizing and Editing GIS data with SVG for Internet and Mobile ...

... GML sets at the **backend** to store and transport **data** and ... of editing geographic **data** online and in **mobile** devices. ... a conceptual **model** of GML and SVG **data** will be ...
www.svgopen.org/2004/paperAbstracts/VisualizingEditingGISdatawithSVG.html - 7k - [Cached](#) - [Similar pages](#)

Refreshing Data in Occasionally Connected Computing Applications ...

... may only resynchronize with the **backend** database occasionally ... publish-subscribe **model** to cache **data** on the device to implement a good **mobile** solution that ...
www.devx.com/Intel/Article/16296/2217?pf=true - 12k - [Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups](#)^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 925 for **backend mobile "data model"**. (0.74 seconds)

Mobile Networking: All Data is Not Created Equal by Intermec ...

... Data should be made available to **backend** systems as they ... This is a cost versus need **data model**. ... Priority-based **mobile** systems normally require more than one ...

itsolutions.forbes.com/forbes/ search/viewabstract/62018/index.jsp - 49k - [Cached](#) - [Similar pages](#)

Overcoming Challenges in Mobile J2ME Development

... operations require careful design of the **data model**. ... keep the cache synchronized with **backend** data sources ... Commercial **mobile** databases often come with advanced ...

www.phptr.com/articles/ article.asp?p=170448&seqNum=2 - 22k - [Cached](#) - [Similar pages](#)

GeoSpatial World 2005 - Site Tours

... G/Electric), outage management and **mobile** data dispatch ... using an Oracle9i Spatial database as a **backend** along with ... and diagram of the Oracle Spatial **data model**; ...

www.geospatialworld.com/site_tours/ - 31k - [Cached](#) - [Similar pages](#)

[PDF] Cleveland State University presentation

File Format: PDF/Adobe Acrobat

... **Backend** Services ... 2003 Security Challenge in a **Mobile** Healthcare ... and Transparent **Data/Model** Resource Exchange and Transparent **Data/Model** Resource Exchange ...

www.itacontario.com/policy/ wireless/03Nov14-ClevelandSU.pdf - [Similar pages](#)

[PDF] White Paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... FieldMetrix was built with an "Open" **Data Model** (ODM ... the FieldMetrix Server on behalf of **mobile** home care ... are not available in the office **backend**, dummy or ...

www.colabnet.com/pdf/ Open%20Data%20Model%20White%20Paper.pdf - [Similar pages](#)

Visualizing and Editing GIS data with SVG for Internet and Mobile ...

... the Internet as well as small **mobile** devices. ... products which have their own version, **data model** and proprietary ... GML sets at the **backend** to store and transport ...

www.svgopen.org/2004/paperAbstracts/ VisualizingEditingGISdatawithSVG.html - 7k - [Cached](#) - [Similar pages](#)

Visualizing and Editing GIS data with SVG for Internet and Mobile ...

... GML sets at the **backend** to store and transport data and on the other side ... Since this research focuses on **mobile** application, **mobile** GIS **data model** is used. ...

www.svgopen.org/2004/papers/ VisualizingEditingGISdatawithSVG/ - 30k - [Cached](#) - [Similar pages](#)

Occasionally Connected

... the change is made at the **backend** server once. ... are responsible for migrating and updating the **data model**. ... and deployment: once the first **mobile** application is ...

www.componentry.com/blogs/phil/archives/000154.html - 23k - [Cached](#) - [Similar pages](#)

[PDF] HICSS'01: Real-Time Routing in Mobile Networks Using GPS and GIS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... viewed as an abstract **data model** for representing ad hoc ... placing the GIS database in the **backend** fixed network ... **Mobile** terminals are initially loaded with a GIS ...

csdl.computer.org/comp/proceedings/ hicss/2001/0981/09/09819007.pdf - [Similar pages](#)

Bright Software - BrightServer

... Gateway to **backend** systems. ... BrightServer in a **mobile** solution environment. What BrightServer is. ... Server configuration and server **data model** definition. ...


www.brightsoft.com.au/brightServer.html - 15k - [Cached](#) - [Similar pages](#)



IEEE Xplore®

RELEASE 1.8

Welcome
United States Patent and Trademark Office



Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet



Print Format

Your search matched **3** of **1121826** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A Programming Framework for Mobilizing Enterprise Applications

Castro, P.; Giraud, F.; Konuru, R.; Purakayastha, A.; Yeh, D.;

Mobile Computing Systems and Applications, 2004. WMCSA 2004. Sixth IEEE Workshop on , 02-03 Dec. 2004

Pages:196 - 205

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) IEEE CNF

2 A Multi-Modal Agent Based Mobile Route Advisory System for Public Transport Network

Chiu, D.K.W.; Lee, O.K.F.; Ho-fung Leung; Au, E.W.K.; Wong, M.C.W.;

System Sciences, 2005. HICSS '05. Proceedings of the 38th Annual Hawaii International Conference on , 03-06 Jan. 2005

Pages:92b - 92b

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) IEEE CNF

3 Fast wafer level reliability monitoring of product wafers

Martin, A.;

Integrated Reliability Workshop Final Report, 2003 IEEE International , 20-23 Oct. 2003

Pages:175

[\[Abstract\]](#) [\[PDF Full-Text \(169 KB\)\]](#) IEEE CNF


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **backend mobile data model**

Found 1,912 of 148,786

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Location-aware mobile applications based on directory services](#)

Henning Maass

 August 1998 **Mobile Networks and Applications**, Volume 3 Issue 2

Full text available: pdf(421.47 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Location-aware applications are becoming increasingly attractive due to the widespread dissemination of wireless networks and the emergence of small and cheap locating technologies. We developed a location information server that simplifies and speeds up the development of these applications by offering a set of generic location retrieval and notification services to the application. The data model and the access protocols of these services are based on the X.500 directory service and the I ...

2 [XML transactions: Efficient synchronization for mobile XML data](#)

Franky Lam, Nicole Lam, Raymond Wong

 November 2002 **Proceedings of the eleventh international conference on Information and knowledge management**

Full text available: pdf(116.31 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many handheld applications receive data from a primary database server and operate in an intermittently connected environment these days. They maintain data consistency with data sources through synchronization. In certain applications such as sales force automation, it is highly desirable if updates on the data source can be reflected at the handheld applications immediately. This paper proposes an efficient method to synchronize XML data on multiple mobile devices. Each device retrieves and caches ...

Keywords: XML, information dissemination, information subscription, path containment

3 [iMobile EE: an enterprise mobile service platform](#)

Yih-Farn Chen, Huale Huang, Rittwik Jana, Trevor Jim, Matti Hiltunen, Sam John, Serban Jora, Radhakrishnan Muthumanickam, Bin Wei

 July 2003 **Wireless Networks**, Volume 9 Issue 4

Full text available: pdf(2.90 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

iMobile¹ is an enterprise mobile service platform that allows resource-limited mobile devices to communicate with each other and to securely access corporate contents and services. The original iMobile architecture consists of devlets that provide protocol interfaces to different mobile devices and infolets that access and transcode information based on device profiles. iMobile Enterprise Edition (iMobile EE) is a redesign of the original iMobile architecture to address the security, ...